Ouestion

Identify the documents that describe the differences between SATE and production.

Answer

Qwest addressed the differences between SATE and production, including the identification of error messages, in three documents provided as exhibits to the declaration of Lynn M V Notarianni and Christie L. Doherty on Operations Support Systems (Attachment 5, Appendix A to the Application) ("OSS Declaration"). These exhibits are:

- SATE Data Document (Exhibit LN-OSS-48)
- EDI Implementation Guidelines for IMA (LN-OSS-47)
- IMA 10.0 Errors List (Exhibit LN-OSS-51)

Qwest has made each of these documents publicly available to CLECs. Relevant sections of these documents are briefly described below. The evolution of the IMA 10.0 Errors List is also described below, in order to fully identify where legacy system error messages are listed and the timing of their incorporation into the document.

1. SATE Data Document (Exhibit LN-OSS-48)

The Overview section of this document includes information regarding data categories that may differ between production and SATE. For example, the SATE Data Document (p. 5) states that SATE will validate the USOCs used on an order against the list of USOCs valid in SATE for the state on the LSR, not the CLEC's contract. In production, IMA also edits the LSR against a list of USOCs provided for in the CLEC's Interconnection Agreement. This difference between SATE and production allows the CLEC not only to test all USOCs available in their specific contract but also to test additional products and features they may be considering in the future.

- 2. EDI Implementation Guidelines for IMA (Exhibit LN-OSS-47)
 The Progression Testing Phase section of this document (pp. 32-40) provides an overview of the Interoperability and SATE test environments. A schematic for each test environment depicting its major components and correlation to production systems is also provided. Additionally, a comparison of products and transactions supported is provided as well as a description of the behavior of the transaction responses as compared to production.
- 3. The IMA 10.0 Errors List (Exhibit LN-OSS-31)

This document contains the list of all business process layer (BPL) errors generated by IMA. These errors are identical for production and SATE, since SATE uses a copy of production IMA. This document does not list the production or SATE legacy system error messages. As explained below, Qwest has provided the legacy systems error messages for production and SATE for IMA release 9.0, most recently in a document dated May 22, 2002 (the 9.0 IMA and SATE Errors List); and for IMA 10.0, initially on June 14, 2002, and most recently on July 8, 2002 (the 10.0 IMA and SATE Errors document). These two documents are included with this filing as Attachment A and Attachment B, respectively.

* * *

For the 9.0 EDI release, in response to a request from Hewlett-Packard in connection with the Arizona third party OSS test, on January 28, 2002, Qwest created and published the known errors available in SATE and those in production for IMA release 9.0. See OSS Declaration at ¶ 762. The 9.0 IMA and SATE Errors List, dated May 22, 2002, is included as Attachment A to this filing. Qwest informed the Arizona Corporation Commission that it would gain input from CLECs and assess the value of maintaining this list on an ongoing basis.³

On May 7, 2002, the ACC staff issued a recommendation that Qwest continue publishing the error comparison lists for all future IMA releases. See ACC Staff Supplemental Report on Qwest's Compliance with Checklist Item No. 2 – Access to Unbundled Network Elements (UNEs) – Change Management Process and Stand-alone Test Environment, May 7, 2002 (Exhibit DLF-CMP- 10) at ¶ 153. Qwest agreed to accept this recommendation and proceeded to prepare the SATE and production legacy error list for IMA 10.0. This document was published on June 14, 2002, the day after this Application was filed, and contained both the legacy system error list and the complete list of IMA (BPL) errors. The most recent combined 10.0 IMA and SATE Errors document (Attachment B hereto) contains both BPL and production legacy system error messages included in SATE, and thus details how error messages available in SATE differ from production error messages.

The 9.0 IMA and SATE Errors List document was not included with the Application because Qwest provided information on SATE versus production only with respect to the latest IMA release (IMA 10.0).

See Qwest's Response to HP's SATE Recommendations, December 28, 2001 (Exhibit LN-OSS-74), at p. 6.

Attachment A

9.0 IMA and SATE Errors List



Qwest Communications, Inc.

9.0 IMA and SATE Errors List

Date
May 22, 2002
Prepared by: Qwest Communications, Inc. (Qwest) Implementation Team
For questions regarding this document, please contact
EDI Lead Business Analyst (303) 965-2504 1005 17 th Street, 18 th floor Denver, Colorado 80202
Abstract:
This document will assist CLECs in understanding Qwest legacy system and BPL error messages



Document Information

Document Owner: Qwest EDI Lead Business Analyst

Document

History

All revisions made to this document are listed here in chronological order.

Version	<u>Date</u>	Description
1.0	05/22/02	Initial Distribution

Important:

This document has been through a formal review process. To the best of our knowledge it is accurate. Qwest Communications, Inc. reserves the right to make further modifications, as necessary.



Table of Contents

Overview	4
Table 1 - IMA Production legacy system error messages	5
Table 2A - SATE Pre-order legacy system error messages coded into SATE	19
Table 2B - SATE Pre-order legacy system error messages via SIA	21
Table 3A - IMA Production legacy system error messages not found in IMA SATE	22
Table 3B - IMA Production and SATE legacy system error message variances due to release timing	34
Change Summary	35
Table 4: 9.0 IMA ERRORS LIST-Version 5 (BPL)	36



Overview

This document contains four sets of information:

- 1. Legacy System Error messages seen in Production
- 2. Legacy System Error messages coded into SATE
- 3. Variance between the legacy system errors in production versus SATE
- 4. Business Processing Layer (BPL) Errors List

Legacy system error messages are passed through the IMA system to the CLEC for preorder transactions. All errors for order transactions appear on the IMA Business Processing Layer (BPL) error list.

Common reasons for legacy system errors to be returned include:

· Requested data was unable to be found:

On a CSR request if Qwest were unable to find the account in the legacy system, the following error message would be generated:

"OSS Gateway: Error caught by Fns Message[0]=Received Error From FnsGateway (6.3.1.7.1) on message ResDupAccountList: E101 Account not in BOSS/CARS"

For errors that specify that the data was unable to be retrieved (i.e. could not be found), Qwest suggests verifying the validity of the input data.

· Input data is invalid:

An example of an error message triggered due to invalid input data is:

"OSS Gateway: Error caught by data source Message[0]=Invalid attribute length (clliCode) expect (8-11) get (7) Required input field has invalid length This request was not submitted."

Based on the information provided in the error message, the CLEC could fix the problem. In this example, the CLLI code was 7 characters long rather than 8-11 characters.

Legacy system is unavailable:

An example of an error message triggered due to the legacy system being unavailable is:

"OSS Gateway: Error caught by data source Message[0]=Error logging in to host (livetirk) The host system is not available This DA_EQPF1 request has failed Message[1]=Error logging in to host (ivetirk) The host system is not available Thi..."

Qwest recommends that EDI CLECs display the Qwest provided error messages to their system users to allow the user to correctly interpret the error message and correct the problem.



Table 1 -

The following list includes the error code and description of the legacy system error messages that have been provided by IMA Production in the six months previous to the original publication of this document.

* Notes:

- Those items in BOLD are examples of variable data.
- · All messages listed have an error code of '999'.

Ø	×	۰	d	₹	×	81	8		W	ì.	۸	Ó	×	и	ı	3	ы	ь	×	а	н	М	;	۵	×	٠	٥	۵	×	ä	×	٥	ø	۵	b	×	×		٠		×			۰		×	٠		ú	ŝ.		٠		4						×		٠.	۵		à.	::	0			2	_	2	ů.
×	×	Œ	н					۰	ж	r	п	۲	×	3	:		я		۲	а	a	١		٠	æ	ž		з	Е	2	в	۶	2	т	ø			8			п	₹.	•2	×		м	т			н	4	п	×		т		0	31	к	71	п	н		۲	н		7	л	х	1		٠.	ŝ.
۸.		Χ.	3	×	×	×	×	х	ø	۲.	×		×	х	×	×	ø	К	×	ж	ĸ.	м	۵	a	s	٠	á	۰		2	w	ě.	М	3	s	4	ş.		ь	55	А	8	ı.		×	91	A	×	ш	٨.	8	6			۲.	×	а	м	А	ы		×.		3			٠	a		F.		ð0	ă.

EFROR MESSAGE/DESCRIPTION

Database Error – SQL Failed (dblnsertAPPT: ORA-01840: input value not long enough for date format)

Database Error – SQL Failed (dbInsertTNRDetail: ORA-01400: mandatory (NOT NULL) column is missing or NULL during insert)

Database Error – Unspecified Error (dbLSRS_CRM: Error while trying to retrieve text for error ORA-01403)

Database Error – Unspecified Error (dbLSRS_CRM: ORA-01458; invalid length inside variable character string)

Database Error – Unspecified Error (dbLSRS_CRM: ORA-02042; too many distributed transactions ORA-06512; at line 1)

Database Error – Unspecified Error (dbLSRS_CRM: ORA-04052: error occurred when looking up remote object CRM.CRM_SOSI_PACKAGE@IMA_CRM_LINK.WORLD ORA-00604: error occurred at recursive SQL level 1 ORA-02068: following severe error from IMA_CRM_LINK ORA-...

Database Error - Unspecified Error (dbLSRS_CRM: ORA-06550; line 1, column 7; PLS-00201; identifier 'CRM_SOSI_PACKAGE.PROC_SO_GET_COUNT' must be declared ORA-06550; line 1, column 7; PL/SQL: Statement ignored)

java.sql.SQLException: lo exception: Broken pipe Method: validateCoProvider

java.sql.SQLException: lo exception: Broken pipe Method: validateTariffArea

java.sql.SQLException: java.sql.SQLException: ORA-00257: archiver error. Connect internal only, until freed.

Megabit address validation Failed (OSS Gateway: Connection failed (CONNECT))

Megabit address validation Failed (OSS Gateway: Error caught by data source; Message[0]=Call timed out (dac / rpc))

Megabit address validation Failed (OSS Gateway: Error caught by data source; Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Me...

Megabit address validation Failed (OSS Gateway: Response not valid)

Megabit address validation Failed (OSS Gateway: Timeout)

Megabit address validation Failed (OSS Gateway: Transaction failed (READ))

Megabit address validation Failed (OSS Gateway: Transaction failed (SERVER))

OSS Gateway: Connection failed (CONNECT)

OSS Gateway: CSRM received Error From FnsGateway (Msg ID 73, Type 0, Vers 1): Error return from gateway: Failed to connect to the BMP

OSS Gateway: Error caught by data source

Message [0]=ERROR: Record not found in TIRKS -

Verify that CFA is digital

OSS Gateway: Error caught by data source Message[0]=€



Table 1 - MA Production	logacy system error resessages
ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by data source	Message[0]="
OSS Gateway: Error caught by data source	Message[0]=¼
OSS Gateway: Error caught by data source Internal FnS Error: Error Parsing Page.	Message[0]=9x Address Supplementary Page:
OSS Gateway: Error caught by data source Data Mapping Error - Call OSS/UHD DA_ADR exception received (dac / rpc) Message[2]=Us	Message[0]=Basic No. given :Street Name Required _Request Failure Message[1]=User defined er defined exception receiv
OSS Gateway: Error caught by data source OVERRIDE #3J7J4Q4A00	Message[0]=BLOCK IN EFFECT - NEED MANUAL
OSS Gateway: Error caught by data source	Message[0]=call failed (dac / rpc)
OSS Gateway: Error caught by data source Address Request Failure Message[1]=Us	Message[0]=CALL OSS/UHD DA_ADR Validate ser defined exception received (dac / rpc)
OSS Gateway: Error caught by data source	Message[0]=Call timed out (dac / rpc)
OSS Gateway: Error caught by data source CCNA to Owner Host mapping was not found. establish ownership Message[1]=User defin	Message[0]=CCNA = (XHP) has no matching owner Input Request was rejected as it was unable to ed exception received (dac
OSS Gateway: Error caught by data source entire account data. A Partial CSR may be requ	Message[0]=Centrex Account. Not authorized to view ested.
OSS Gateway: Error caught by data source (MD) Invalid CLLI was input - validate input Ci host Message[1]=User defined exception red	
OSS Gateway: Error caught by data source	Message[0]=Communications failure (dac / rpc)
OSS Gateway: Error caught by data source Message[1]=3022 Fatal :: Gateway Error	Message[0]=Communications failure (dac / rpc)
OSS Gateway: Error caught by data source Message[1]=Communications failure (d	Message[0]=Communications failure (dac / грс) ac / грс)
OSS Gateway: Error caught by data source to change	Message[0]=Due date requested has passed! Need
OSS Gateway: Error caught by data source request not processed Message[1]=Unable to	Message[0]=E/A Service handler failed Service
been rejected. Message[2]=User defined exce	
been rejected. Message[2]=User defined exce OSS Gateway: Error caught by data source ROUTE DA_ADR Validate Address Request F (dac / rpc)	ption received (dac Message[0]=ENTER HOUSE NUMBER, AHN OR
OSS Gateway: Error caught by data source ROUTE DA_ADR Validate Address Request F	ption received (dac Message[0]=ENTER HOUSE NUMBER, AHN OR failure Message[1]=User defined exception received Message[0]=Error logging in to host (livetirk) The request has failed Message[1]=Error logging in
OSS Gateway: Error caught by data source ROUTE DA_ADR Validate Address Request F (dac / rpc) OSS Gateway: Error caught by data source host system is not available This DA_EQPF1	ption received (dac Message[0]=ENTER HOUSE NUMBER, AHN OR failure Message[1]=User defined exception received Message[0]=Error logging in to host (livetirk) The request has failed Message[1]=Error logging in
OSS Gateway: Error caught by data source ROUTE DA_ADR Validate Address Request F (dac / rpc) OSS Gateway: Error caught by data source host system is not available. This DA_EQPF1 to host (livetirk). The host system is not available. OSS Gateway: Error caught by data source.	ption received (dac Message[0]=ENTER HOUSE NUMBER, AHN OR failure Message[1]=User defined exception received Message[0]=Error logging in to host (livetirk) The request has failed Message[1]=Error logging in the property of the proper
OSS Gateway: Error caught by data source ROUTE DA_ADR Validate Address Request F (dac / rpc) OSS Gateway: Error caught by data source host system is not available This DA_EQPF1 to host (livetirk) The host system is not available OSS Gateway: Error caught by data source this address.	ption received (dac Message[0]=ENTER HOUSE NUMBER, AHN OR failure Message[1]=User defined exception received Message[0]=Error logging in to host (livetirk) The request has failed Message[1]=Error logging in ble Thi Message[0]=ERROR No information was found for
OSS Gateway: Error caught by data source ROUTE DA_ADR Validate Address Request F (dac / rpc) OSS Gateway: Error caught by data source host system is not available. This DA_EQPF1 to host (livetirk). The host system is not available. OSS Gateway: Error caught by data source this address. OSS Gateway: Error caught by data source.	ption received (dac Message[0]=ENTER HOUSE NUMBER, AHN OR failure Message[1]=User defined exception received Message[0]=Error logging in to host (livetirk) The request has failed Message[1]=Error logging in the thin Message[0]=ERROR No information was found for Message[0]=ERROR: 0

05/23/02 Page 6 of 113




Table 1 - MA Production	legacy system error messages
ERROR MESSAGE/DESCRIPTION	-gas) =y
OSS Gateway: Error caught by data source program failed.	Message[0]=ERROR: 0 Gateway is down and/or
OSS Gateway: Error caught by data source address validation. VERIFY STREET NAME	Message[0]=ERROR: 0 Unknown error for this
OSS Gateway: Error caught by data source	Message[0]=ERROR: 0 VERIFY TN
OSS Gateway: Error caught by data source DURING LOGIN INTO LFACS: 0	Message[0]=ERROR: 302 ERROR OCCURRED
OSS Gateway: Error caught by data source was not found in the ISDN Wire Center Data file: your Tier 1 Support to report this problem ASAP	Message[0]=ERROR: 302 The requested NPA/NXX /opt/applet/data/facck/ALL.TRIS.data Please contact.
OSS Gateway: Error caught by data source	Message[0]=ERROR: 501 INQ FASG FAILED:
OSS Gateway: Error caught by data source ERROR OCCURRED DURING FASG in LFACS	Message[0]=ERROR: 501 INQ FASG FAILED:
OSS Gateway: Error caught by data source 050: THE REQUESTED FACILITY ADDRESS C	Message[0]=ERROR: 501 INQ FASG FAILED: L400- CANNOT BE FOUND. CHECK YOUR INPUT
OSS Gateway: Error caught by data source 170: THERE ARE MORE THAN ONE FACILITY	Message[0]=ERROR: 501 INQ FASG FAILED: L400-ADDRESS AT THE GIVEN ADDRESS
OSS Gateway: Error caught by data source 320: durum ct NOT FOUND	Message[0]=ERROR: 501 INQ FASG FAILED: L400-
OSS Gateway: Error caught by data source timed out (dac / rpc)	Message[0]=ERROR: Address Validation Error: Call
OSS Gateway: Error caught by data source Gateway is down and/or program failed.	Message[0]=ERROR: Address Validation Error:
OSS Gateway: Error caught by data source description available at this time	Message[0]=ERROR: Address Validation Error: No
OSS Gateway: Error caught by data source match found for logical host (PREMIS_CENT) R	Message[0]=ERROR: Address Validation Епог: No outing Table Update Required. Call OSS/UHD
OSS Gateway: Error caught by data source VERIFY TN	Message[0]=ERROR: Address Validation Error:
OSS Gateway: Error caught by data source	Message[0]=ERROR: Call timed out (dac / rpc)
OSS Gateway: Error caught by data source process this request.	Message[0]=ERROR: Facility Check failed to
OSS Gateway: Error caught by data source the address provided.	Message[0]=ERROR: No exact match was found for
OSS Gateway: Error caught by data source Address	Message[0]=ERROR: No Existing Circuits at This
OSS Gateway: Error caught by data source	Message[0]=ERROR: No matching address found.
OSS Gateway: Error caught by data source sending/receiving data from host No Lfacs conn response to a host system. This may be due to	Message[0]=FC error code: 20060 Error ection available Facility Check is experiencing slow unusual request volumes. P
OSS Gateway: Error caught by data source specified Address 'e rancho blvd' not found. The address and try again.	Message[0]=FC error code: 20061 Invalid address e requested address was not found. Please verify the



Table 1—ISEA Preduction legacy system error measurges
ERROR MESSAGE/DESCRIPTION
OSS Gateway: Error caught by data source Message[0]=FC error code: 20062 Valid PREMIS address - Address not in LFACS The requested address is in PREMIS - The request address is NOT in LFACS Issue service order with this address - Use correct remarks
OSS Gateway: Error caught by data source Message[0]=FC error code: 20063 Multiple addresses returned No exact match was found for the address provided. Verify community and/or state and try again. Multiple addresses were found for the address specify
OSS Gateway: Error caught by data source Message[0]=FC error code: 20064 unable to perform select loop in LFACS Received an undesired response from the Select Loop inquiry.
OSS Gateway: Error caught by data source Message[0]=FC error code: 50300 Unable to Validate Address No Address Found This address was not found in PREMIS. Please check your input and try again.
OSS Gateway: Error caught by data source Message[0]=FC error code: 50310 Error in Address Validation Unable to Validate Address Premis responded with an error code for this address. Please check your input and try again.
OSS Gateway: Error caught by data source Message[0]=FC error code: 50311 Error in Address Validation Unable to Validate Telephone Number Premis responded with an error code for this telephone number. Please check your input and try again.
OSS Gateway: Error caught by data source Message[0]=FC error code: 70150 Error accessing EJB services No SelectLoop EJB Found
OSS Gateway: Error caught by data source Message[0]=H
OSS Gateway: Error caught by data source Message[0]=INPUT ERROR(S): JS_ERR_112:SAGA entered was not a valid SAGA.
OSS Gateway: Error caught by data source Message[0]=INPUT ERROR(S): JS_ERR_112-1v:ZIPCODE translates into more than (1) SAGA. Use one of the following SAGAs: BLVUEASTSEAT
OSS Gateway: Error caught by data source Message[0]=INPUT ERROR(S): JS_ERR_112v:ZIPCODE could not be translated into a SAGA.
OSS Gateway: Error caught by data source Message[0]=Invalid attribute (Loc A) Required input field is invalid This request was not submitted Message[1]=Invalid attribute (Loc Z) Required input field is invalid This request was not submit
OSS Gateway: Error caught by data source Message[0]=Invalid attribute (Loc A) Required input field is invalid This request was not submitted Message[1]=Invalid request Request was not submitted Message[2]=26602 Fatal :: Gateway Error
OSS Gateway: Error caught by data source Message[0]=Invalid attribute (Loc Z) Required input field is invalid This request was not submitted Message[1]=Invalid request Request was not submitted Message[2]=26602 Fatal :: Gateway Error
OSS Gateway: Error caught by data source Message[0]=Invalid attribute (S: cktld should has 6 fields) Required input field is invalid This request was not submitted Message[1]=Invalid attribute (S: Prefix field length must be of length 1 or 2)
OSS Gateway: Error caught by data source Message[0]=Invalid attribute (S: cktld should has 6 fields) Required input field is invalid This request was not submitted Message[1]=Invalid attribute (S: Suffix field length must be 0 or 3) Require
OSS Gateway: Error caught by data source Message[0]=Invalid attribute (S: cktld should has 6 fields) Required input field is invalid This request was not submitted Message[1]=Invalid request Request was not submitted



Table 1—BIA Production legacy system error messages
ERROR MESSAGE/DESCRIPTION
OSS Gateway: Error caught by data source Message[0]=Invalid attribute (T: cktld should has 7 fields) Required input field is invalid. This request was not submitted. Message[1]=Invalid attribute (T: Prefix field length must be 2). Required inp
OSS Gateway: Error caught by data source Message[0]=Invalid attribute (T: cktld should has 7 fields) Required input field is invalid. This request was not submitted. Message[1]=Invalid request Request was not submitted.
OSS Gateway: Error caught by data source Message[0]=Invalid attribute length (clliCode) expect (8-11) get (9) Required input field has invalid length This request was not submitted Message[1]=Invalid attribute (termZ) Required input field i
OSS Gateway: Error caught by data source Message[0]=Isdn Loop Query Page: Error Sending HTML: Connection lost to the Facility Check web site.
OSS Gateway: Error caught by data source Message[0]=Job duration is greater than calculated time range
OSS Gateway: Error caught by data source Message[0]=
OSS Gateway: Error caught by data source Message[0]=Leadtime violated
OSS Gateway: Error caught by data source Message[0]=No AREA/HOST match found for the NpaNxx (000000) Routing Table Update Required. Call OSS/UHD DA_ADR_Request Failure Message[1]=User defined exception received (dac / rpc) Message[2]=User def
OSS Gateway: Error caught by data source Message[0]=No DSAver/UUID/Major#/Minor# availablr for logical host (ALOC_SIM) Routing Table Update Required. Call OSS/UHD DA_ADR_Request Failure Message[1]=User defined exception received (dac / rpc) M
OSS Gateway: Error caught by data source Message[0]=No match for area (WYOM) in areaConvStatus table Verify CALA entry, If correct, Routing Table Update Required, call OSS/UHD DA_ADR_Request Failure Message[1]=User defined exception received (
OSS Gateway: Error caught by data source Message[0]=No match found for version (2.0) and CLLI (206770) Routing Table Update Required. Call OSS/UHD. DA_TNR_Request Failure Message[1]=User defined exception received (dac / rpc) Message[2]=User
OSS Gateway: Error caught by data source Message[0]=No physical host associated with logical host (EKY) Routing Table Update Required. Call OSS/UHD. DA_TNR_Request Failure Message[1]=User defined exception received (dac / rpc) Message[2]=User
OSS Gateway: Error caught by data source Message[0]=No SAGA/CALA match found for zip
(nnnnn) Verify ZIP. If correct, Routing Table Update Required, call OSS/UHD. DA_ADR_Request Failure Message[1]=User defined exception received (dac / rpc) Messag
OSS Gateway: Error caught by data source Message[0]=No time available
OSS Gateway: Error caught by data source Message[0]=Not a valid Fetch object
OSS Gateway: Error caught by data source Message[0]=NPA/NNX combination not found in
appointment sched
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data
encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=Basic No. given :Street Na
encountered Response not returned Message[2]=Basic No. given :Street Na OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data
encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=E/A Service handler failed
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=No AREA/HOST match found f



Table 1—BIA Production legacy system error messages
ERROR MESSAGE/DESCRIPTION
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=No DSAver/UUID/Major#/Mino
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=No match for area (INVA) i
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=No match found for logical
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=No match found for version
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=No SAGA/CALA match found f
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=Street Name or Telephone N
OSS Gateway: Error caught by data source Message[0]=Null response: Corrupt response data encountered Response not returned Message[1]=Null response: Corrupt response data encountered Response not returned Message[2]=User defined exception rec
OSS Gateway: Error caught by data source Message[0]=POTS Facilities Login Page: Error finding COOKIE: Invalid FC page.
OSS Gateway: Error caught by data source Message[0]=POTS Facilities Login Page: Error Sending HTML: Connection lost to the Facility Check web site.
OSS Gateway: Error caught by data source Message[0]=Pots Facility Check (with address validation) INPUT ERROR(S): FNS_ERR_901:TN and ADDRESS cannot both be entered. JS_ERR_210: ADDRESS is NOT part of selected Search By criteria. JS_ERR_250: CITY is N
OSS Gateway: Error caught by data source Message[0]=Pots Facility Check (with address validation) INPUT ERROR(S): JS_ERR_112: SAGA entered was not a valid SAGA.
OSS Gateway: Error caught by data source Message[0]=PotsServFacAvailServer::ProcessMessage() Internal FnS Error: Unknown HTML Page:
OSS Gateway: Error caught by data source Message[0]=Return host id missing for electronic file transfer.
OSS Gateway: Error caught by data source Message[0]=Screen (WA): Field (WorkAuthorization->circuitIdFormat): ERROR-The Circuit Id was not found in the TIRKS System database. The host system has returned an error This DA_EQPF1 request has fail
OSS Gateway: Error caught by data source Message[0]=Screen (WA): Field (WorkAuthorization-
OSS Gateway: Error caught by data source Message[0]=Street Name or Telephone Number Required Data Mapping Error - Call OSS/UHD DA_ADR_Request Failure Message[1]=User defined exception received (dac / rpc) Message[2]=User defined exception rec
OSS Gateway: Error caught by data source Message[0]=System Call error while communicating with Fetch Hostname = fnsid1 Port number = 4006 Connection refused Host = fnsid1 Port = 4006 Timeout = 5



		on legacy system error messages
ERROR MESSAGEDREC	RIFTION	
OSS Gateway: Error caugh with Fetch Hostname = fn		Message(0)=System Call error while communicating = 4006 Connection reset by peer
OSS Gateway: Error caugh combination is invalid.	t by data source	Message[0]=The CoProvider/ContractArea
OSS Gateway: Error caugh	t by data source	Message[0]=Total Time > 8 hrs
OSS Gateway: Error caugh request: (From signal hand		Message[0]=Transaction timed out while processing
	n rejected. Mess esponse: Corrupt re	Message[0]=Unable to open the requested E/A age[1]=User defined exception received (dac / rpc) asponse data encountered Respon
OSS Gateway: Error caugh Sending HTML: Connection		Message[0]=Unbundled Loop Query Page: Εποτ Check web site.
OSS Gateway: Error caugh satisfy all the valid input pa exception received (dac / η	rameters. DA_TN	Message[0]=Verify input. No available numbers NR_Request Failure Message[1]=User defined Verify input. No available nu
OSS Gateway: Error caugh Validate Address Request I	•	Message[0]=VERIFY SAGA /CALA DA_ADR sage[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caugh Address Request Failure		Message[0]=VERIFY TN DA_ADR Validate User defined exception received (dac / rpc)
OSS Gateway: Error caugh Validate Address Request i		Message[0]=VERIFY WIRE CENTER DA_ADR sage[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caugh list: 9529260548	t by data source	Message[0]=WTN appears multiple times in WTN
OSS Gateway: Error caugh value	t by data source	Message[0]=WTN entry missing the associated WTN
OSS Gateway: Error caugh Verify that CFA is digital	it by data source;	Message [0]=ERROR:;Record not found in TIRKS -
OSS Gateway: Eπor caugh Message[1]=3021		Message[0]=call failed (dac / rpc); rror
OSS Gateway: Error caugh Message[1]=call fa		Message[0]=call failed (dac / rpc);
OSS Gateway: Error caugh Address Request Failure;		Message[0]=CALL OSS/UHD; DA_ADR Validate User defined exception received (dac / rpc)
OSS Gateway: Error caugh	it by data source;	Message[0]=Call timed out (dac / rpc)
OSS Gateway: Error caugh entire account data. A Par		Message[0]=Centrex Account. Not authorized to vie equested.
OSS Gateway: Error caugh		Message[0]=Communications failure (dac / rpc)
OSS Gateway: Error caugh Message[1]=3022		Message[0]=Communications failure (dac / rpc); rror
OSS Gateway: Error caugh Message[1]=Comm		Message[0]=Communications failure (dac / rpc); (dac / rpc)
OSS Gateway: Error caughto change	nt by data source;	Message[0]=Due date requested has passed! Need
OSS Gateway: Error caugh	nt by data source;	Message[0]=EA Error - Timeout waiting for new



Table : - : ##A Production	legacy system error messages
ERROR MESSAGE/GESCRIPTION	
OSS Gateway: Error caught by data source; ROUTE; DA_ADR Validate Address Request F (dac / rpc)	Message[0]=ENTER HOUSE NUMBER, AHN OR sailure; Message[1]=User defined exception received
OSS Gateway: Error caught by data source; host system is not available; This DA_EQPF1 to host (livetirk); The host system is not available.	ole; Thi
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0:Call timed out (dac / rpc)
OSS Gateway: Ептог caught by data source; / грс)	Message[0]=ERROR: 0;Communications failure (dac
OSS Gateway: Error caught by data source; DURING LOGIN INTO LFACS: 0	Message[0]=ERROR: 0;ERROR OCCURRED
OSS Gateway: Error caught by data source; program failed.	Message[0]=ERROR: 0;Gateway is down and/or
OSS Gateway: Error caught by data source; this time	Message[0]=ERROR: 0;No description available at
OSS Gateway: Error caught by data source; host (PREMIS_CENT);Routing Table Update Re	Message[0]=ERROR: 0;No match found for logical equired. Call OSS/UHD
OSS Gateway: Error caught by data source;	Message[0]=ERROR: 0;VERIFY TN
OSS Gateway: Error caught by data source; Enterprise/3.6 SP2 Date: Tue, 26 Jun 2001 11:: ALOC/Premis for Address data done. Accessi	
OSS Gateway: Error caught by data source; DURING LOGIN INTO LFACS: 0	Message[0]=ERROR: 302;ERROR OCCURRED
OSS Gateway: Error caught by data source; was not found in the ISDN Wire Center Data file your Tier 1 Support to report this problem ASAP	Message[0]=ERROR: 302;The requested NPA/NXX :;/opt/applet/data/facck/ALL.TRIS.data;Please contact :
OSS Gateway: Error caught by data source; 050: THE REQUESTED FACILITY ADDRESS (Message[0]=ERROR: 501;INQ FASG FAILED: L400- CANNOT BE FOUND. CHECK YOUR INPUT
OSS Gateway: Error caught by data source; timed out (dac / rpc)	Message[0]=ERROR:;Address Validation Error:;Call
OSS Gateway: Error caught by data source; Error:;Communications failure (dac / rpc)	Message[0]=ERROR:;Address Validation
OSS Gateway: Error caught by data source; Error:;Gateway is down and/or program failed.	Message[0]=ERROR:;Address Validation
OSS Gateway: Error caught by data source; AREA/HOST match found for the NpaNxx (7637	Message[0]=ERROR:;Address Validation Error.;No 44);Routing Table Update Required. Call OSS/UHD
OSS Gateway: Error caught by data source; description available at this time	Message[0]=ERROR:;Address Validation Error:;No
OSS Gateway: Error caught by data source; match found for logical host (PREMIS_CENT);R	Message[0]=ERROR:;Address Validation Error:;No touting Table Update Required. Call OSS/UHD
OSS Gateway: Error caught by data source; Error:;VERIFY TN	Message[0]=ERROR:;Address Validation
OSS Gateway: Error caught by data source;	Message[0]=ERROR:;Call timed out (dac / rpc)
OSS Gateway: Error caught by data source; process this request.	Message[0]=ERROR:;Facility Check failed to



Table 1—IMA Production legacy system error messages
ERROR MESSAGE/DESCRIPTION
OSS Gateway: Error caught by data source; Message[0]=ERROR:;No exact match was found for the address provided.
OSS Gateway: Error caught by data source; Message[0]=ERROR;No information was found for this address.
OSS Gateway: Error caught by data source; Message[0]=FC error code: 20060 Error sending/receiving data from host No Lfacs connection available Facility Check is experiencing slow response to a host system. This may be due to unusual request volumes. P
OSS Gateway: Error caught by data source; Message[0]=FC error code: 20062 Valid PREMIS address - Address not in LFACS The requested address is in PREMIS - The request address is NOT in LFACS Issue service order with this address - Use correct remarks
OSS Gateway: Error caught by data source; Message[0]=FC error code: 50310 Error in Address Validation Unable to Validate Address Premis responded with an error code for this address. Please check your input and try again.
OSS Gateway: Error caught by data source; Message[0]=FC error code: 70150 Error accessing EJB services No SelectLoop EJB Found
OSS Gateway: Error caught by data source; Message[0]=INPUT ERROR(S):;JS_ERR_112:SAGA entered was not a valid SAGA.
OSS Gateway: Error caught by data source; Message[0]=INPUT ERROR(S):;JS_ERR_112-1v:ZIPCODE translates into more than (1) SAGA.; Use one of the following SAGAs: BLVUEASTSEAT
OSS Gateway: Error caught by data source; Message[0]=INPUT ERROR(S):;JS_ERR_112v:ZIPCODE could not be translated into a SAGA.
OSS Gateway: Error caught by data source; Message[0]=INPUT ERROR(S):;JS_ERR_260: STATE is NOT part of selected Search By criteria.
OSS Gateway: Error caught by data source; Message[0]=Invalid attribute (Loc Z); Required input field is invalid; This request was not submitted; Message[1]=Invalid request; Request was not submitted; Message[2]=26602 Fatal :: Gateway Error
OSS Gateway: Error caught by data source; Message[0]=Invalid attribute (S: cktld should has 6 fields); Required input field is invalid; This request was not submitted; Message[1]=Invalid attribute (S: Service Code & Modifier field length must be 2
OSS Gateway: Error caught by data source; Message[0]=Job duration is greater than calculated time range
OSS Gateway: Error caught by data source; Message[0]=Leadtime violated
OSS Gateway: Error caught by data source; Message[0]=No AREA/HOST match found for the NpaNxx (190069); Routing Table Update Required. Call OSS/UHD; DA_ADR_Request Failure; Message[1]=User defined exception received (dac / rpc); Message[2]=User def
OSS Gateway: Error caught by data source; Message[0]=No AREA/HOST match found for the NpaNxx (952957); Routing Table Update Required. Call OSS/UHD; DA_ADR_Request Failure; Message[1]=User defined exception received (dac / rpc); Message[2]=User def
OSS Gateway: Error caught by data source; Message[0]=No match for area (MT) in areaConvStatus table; Verify CALA entry, If correct, Routing Table Update Required, call OSS/UHD; DA_ADR_Request Failure; Message[1]=User defined exception received (da
OSS Gateway: Error caught by data source; Message[0]=No match found for version (2.0) and CLLI (867); Routing Table Update Required. Call OSS/UHD.; DA_TNR_Request Failure; Message[1]=User defined exception received (dac / rpc); Message[2]=User def



Table 1 — IMA Production legacy system error messages ERROR MESSAGE/DESCRIPTION OSS Gateway: Error caught by data source: Message[0]=No match found for version (2.0) and CLL! (INVALID); Routing Table Update Required. Call OSS/UHD.; DA_TNR Request Failure; Message[1]=User defined exception received (dac / rpc); Message[2]=Null... OSS Gateway: Error caught by data source; Message[0]=No SAGA/CALA match found for zip (12345): Verify ZIP. If correct, Routing Table Update Required, call OSS/UHD.; DA_ADR_Request Failure; Message[1]=User defined exception received (dac / mc); Me... Message[0]=Not a valid Fetch object OSS Gateway: Error caught by data source; Message[0]=NPA/NNX combination not found in OSS Gateway: Error caught by data source; appointment sched OSS Gateway: Error caught by data source: Message[0]=Null response: Corrupt response data encountered; Response not returned: Message[1]=Null response: Corrupt response data encountered: Response not returned: Message[2]=No AREA/HOST match found f... OSS Gateway: Error caught by data source; Message[0]=Null response; Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered: Response not returned; Message[2]=No match for area (DNVR) i... OSS Gateway: Error caught by data source: Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=No match found for logical... OSS Gateway: Error caught by data source; Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=No match found for version... OSS Gateway: Error caught by data source: Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered: Response not returned: Message[2]=No physical host associate... OSS Gateway: Error caught by data source; Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered: Response not returned: Message[2]=No SAGA/CALA match found f... OSS Gateway: Error caught by data source: Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=Unable to open the request... OSS Gateway: Error caught by data source; Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Message[2]=User defined exception rec... Message(0)=POTS Facilities Availability Query Page: OSS Gateway: Error caught by data source; Internal FnS Error:;Error Validating Page.; Message[1]=Pots Facility Check (with address validation);INPUT ERROR(S):;JS_ERR_112: SAGA entered was not a valid... OSS Gateway: Error caught by data source; Message[0]=POTS Facilities Availability Query Page: Internal FnS Error:;Error Validating Page.; Message[1]=Pots Facility Check (with address validation);INPUT ERROR(S):;JS_ERR_112v:ZIPCODE could not be transla... OSS Gateway: Error caught by data source: Message[0]=POTS Facilities Login Page: Error Sending HTML:;Connection lost to the Facility Check web site. OSS Gateway: Error caught by data source; Message[0]=Pots Facility Check (with address

validation);INPUT ERROR(S):;FNS_ERR_901:TN and ADDRESS cannot both be

validation);INPUT ERROR(\$):;JS_ERR_112: SAGA entered was not a valid SAGA.

OSS Gateway: Error caught by data source;

entered.; JS_ERR_210: ADDRESS is NOT part of selected Search By criteria.; JS_ERR_220: UNIT is

Message[0]=Pots Facility Check (with address

Ν...



Table 1 - IMA Production legacy system error messages
ERROR MESSAGE/DESCRIPTION
OSS Gateway: Error caught by data source; Message[0]=Pots Facility Check (with address validation);INPUT ERROR(S):;JS_ERR_112v:ZIPCODE could not be translated into SAGA
OSS Gateway: Error caught by data source; Message[0]=Screen (DA_EQPF1>SignOn): Field (IP_UserId): /SIGN REJECTED, RC= 28 - USERID HAS BEEN REVOKED.; The host system has returned an error; This DA_EQPF1 request has failed; Message[1]=Null resp
OSS Gateway: Error caught by data source; Message[0]=Screen (DLR_Status): Field (UNKNOWN): DLR Issue Failed Resend Request; The host system has returned an error; This DA_EQPF1 request has failed; Message[1]=E/A Service handler failed; Service
OSS Gateway: Error caught by data source; Message[0]=Screen (WA): Field (WorkAuthorization->circuitIdFormat): ERROR-The Circuit Id was not found in the TIRKS System database.; The host system has returned an error; This DA_EQPF1 request has fail
OSS Gateway: Error caught by data source; Message[0]=Screen (WA): Field (WorkAuthorization->cirLayoutOrderNum): ERROR-Circuit Id not eligible for this Co-Provider; The host system has returned an error; This DA_EQPF1 request has failed; Message[
OSS Gateway: Error caught by data source; Message[0]=System Call error while communicating with Fetch Hostname = fnsid1 Port number = 4006 Connection refused Host = fnsid1 Port = 4006 Timeout = 5
OSS Gateway: Error caught by data source; Message[0]=System Call error while communicating with Fetch Hostname = fnsld1 Port number = 4006 Connection reset by peer
OSS Gateway: Error caught by data source; Message[0]=Transaction timed out while processing request: (From signal handler)
OSS Gateway: Error caught by data source; Message[0]=Unable to open the requested E/A service.; Request has been rejected.; Message[1]=User defined exception received (dac / rpc); Message[2]=Null response: Corrupt response data encountered; Respon
OSS Gateway: Error caught by data source; Message[0]=Verify input. No available numbers satisfy all the valid input parameters.; DA_TNR_Request Failure; Message[1]=User defined exception received (dac / rpc); Message[2]=Verify input. No available nu
OSS Gateway: Error caught by data source; Message[0]=VERIFY TN; DA_ADR Validate Address Request Failure; Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by data source; Message[0]=VERIFY WIRE CENTER; DA_ADR Validate Address Request Failure; Message[1]=User defined exception received (dac / rpc)
OSS Gateway: Error caught by Fns Message[0] = DA_ADR Validate Address Request Success Message[1]=Successful Return From Gateway Message[2]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns Message[0]=Could not connect to AS server
OSS Gateway: Error caught by Fns Message[0]=Due date requested has passed.
OSS Gateway: Error caught by Fris Message[0]=ExcSupportCsrLegacyFatalError: File=[SupFnsInterface.cpp], Line#=[744] Received Error From FrisGateway (6.2.2.2) on message ResDupAccountList: E106 Account not found while resolving account on partial circ
OSS Gateway: Error caught by Fns Message[0]=ExcSupportCsrLegacyFatalError: File=[SupFnsInterface.cpp], Line#=[744] Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Invalid host info while resolving account on partial circuit
OSS Gateway: Error caught by Fns Message[0]=Fetch transaction Timed Out: Hostname = fnsld1 Port number = 4006
OSS Gateway: Error caught by Fns Message[0]=HicapServFacAvailServer::ProcessMessage() Internal FnS Error: Unknown HTML Page:
OSS Gateway: Error caught by Fns Message[0]=Invalid request



Table 1 WA David	istion legacy system error messages
	salty) - gray system and salty
ERROR MESSAGE/DESCRIPTION	
OSS Gateway: Error caught by Fns M NpaNxx	lessage[0]=Invalid request. No Usoc info for requested
OSS Gateway: Error caught by Fns M	lessage[0]=LSO not valid
, , ,	lessage[0]≠Received Error From FnsGateway () on
message ResGeneric: Error reading reque	
OSS Gateway: Error caught by Fns M message ResCsr: 155 CSR not in Database	lessage[0]=Received Error From FnsGateway (6.2.2.2) on se
OSS Gateway: Error caught by Fns Message ResCsr: 161 CSR list format error	lessage[0]=Received Error From FnsGateway (6.2.2.2) on or
OSS Gateway: Error caught by Fns M message ResCsr: 162 CSR billing format of	lessage[0]=Received Error From FnsGateway (6.2.2.2) on serror
OSS Gateway: Error caught by Fns M message ResCsr: 163 CSR S&E format e	lessage[0]=Received Error From FrisGateway (6.2.2.2) on rror
OSS Gateway: Error caught by Fns M message ResCsr: 164 CSR remarks forms	lessage[0]=Received Error From FnsGateway (6.2.2.2) on at error
OSS Gateway: Error caught by Fns M message ResCsr: 610 CSR SNE Format V	lessage[0]=Received Error From FnsGateway (6.2.2.2) on Varning
OSS Gateway: Error caught by Fns M message ResCsr: Partial CSR not availab	lessage[0]=Received Error From FnsGateway (6.2.2.2) on le on Non-Dept billed Western AN
OSS Gateway: Error caught by Fns M message ResCsr: Unable to execute Boss	lessage[0]=Received Error From FnsGateway (6.2.2.2) on HFE
OSS Gateway: Error caught by Fns M message ResDupAccountList: A024 DUP	lessage[0]=Received Error From FnsGateway (6.2.2.2) on T_ACCT_NOT_FOUND
OSS Gateway: Error caught by Fns M message ResDupAccountList: E101 Account	lessage[0]=Received Error From FnsGateway (6.2.2.2) on unt not in BOSS/CARS
OSS Gateway: Error caught by Fns Mmessage ResDupAccountList: E105	lessage[0]=Received Error From FnsGateway (6.2.2.2) on
OSS Gateway: Error caught by Fns Mmessage ResDupAccountList: E106 AccountList:	lessage[0]=Received Error From FnsGateway (6.2.2.2) on unt not found
OSS Gateway: Error caught by Fns M message ResDupAccountList: Invalid acco	lessage[0]=Received Error From FnsGateway (6.2.2.2) on punt id
OSS Gateway: Error caught by Fns M message ResDupAccountList: Invalid host	tessage[0]=Received Error From FnsGateway (6.2.2.2) on info
OSS Gateway: Error caught by Fns Mmessage ResDupAccountList: S901	lessage[0]=Received Error From FnsGateway (6.2.2.2) on
OSS Gateway: Error caught by Fns Message ResDupAccountList: Unable to s	Message[0]=Received Error From FrisGateway (6.2.2.2) on execute SR20cars
OSS Gateway: Error caught by Fns Message ResDupAccountList: Unable to e	dessage[0]=Received Error From FnsGateway (6.2.2.2) on execute SR33
OSS Gateway: Error caught by Fns Message ResGeneric: Unable to connect	lessage[0]=Received Error From FnsGateway (6.2.2.2) on to back-end server
OSS Gateway: Error caught by Fns NONLY DA_ADR Validate Address Required at the Message [2] = Transaction	~ • • •
OSS Gateway: Error caught by Fns M	fessage[0]=Transaction Timed out for DA CFACable



Table 1 - IMA Production legacy system error messages
ERROR MESSAGE/DESCRIPTION
OSS Gateway: Error caught by Fns Message[0]=Transaction Timed out with DA ADR
OSS Gateway: Error caught by Fns Message[0]=Unable to execute Scal
OSS Gateway: Error caught by Fns Message[0]=Unable to execute Sfirst
OSS Gateway: Error caught by Fns Message[0]=User defined exception received (dac / rpc)
Message[1]=User defined exception received (dac / rpc) Message[2]=SELECT CALA DA_ADR_Request Failure Message[3]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns Message[0]=VERIFY HOUSE NUMBER OR AHN DA_ADR Validate Address Request Partial Success Message[1]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns Message[0]=VERIFY STREET NAME DA_ADR Validate Address Request Partial Success Message[1]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns Message[0]=VERIFY STREET NAME OR COMMUNITY DA_ADR Validate Address Request Partial Success Message[1]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns Message[0]=VERIFY SUPPLEMENTAL INPUT DA_ADR Validate Address Request Success Message[1]=Successful Return From Gateway Message[2]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns Message[0]=VERIFY SUPPLEMENTAL LIST DA_ADR Validate Address Request Partial Success Message[1]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns; Message[0]=; DA_ADR Validate Address Request Success; Message[1]=Successful Return From Gateway; Message[2]=Transaction Timed out with DA PIC
OSS Gateway: Error caught by Fns; Message[0]=Could not connect to AS server
OSS Gateway: Error caught by Fns; Message[0]=DesignServFacAvailServer::ProcessMessage();Internal FnS Error: Unknown HTML Page:
OSS Gateway: Error caught by Fns; Message[0]=Did not receive format set.
OSS Gateway: Error caught by Fns; Message[0]=Fetch transaction Timed Out: Hostname = fnsld1 Port number = 4006
OSS Gateway: Error caught by Fns; Message[0]=HicapServFacAvailServer::ProcessMessage();Internal FnS Error: Unknown HTML Page:
OSS Gateway: Error caught by Fns; Message[0]=Invalid request. No Usoc info for requested NpaNxx
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway () on message ResGeneric: Error reading request.
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 122 Account not in Database
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: 155 CSR not in Database
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: Unable to execute BossIFE
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResCsr: Unable to execute CarsIFE



Table 1 - BIA Production legacy system error measures
SRROR MESSAGED DESCRIPTION
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: A024 DUPT_ACCT_NOT_FOUND
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: E101 Account not in BOSS/CARS
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: E105
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Invalid host info
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: S901
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Unable to execute SR20cars
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResDupAccountList: Unable to execute SR33
OSS Gateway: Error caught by Fns; Message[0]=Received Error From FnsGateway (6.2.2.2) on message ResGeneric: Unable to connect to back-end server
OSS Gateway: Error caught by Fns; Message[0]=Transaction Timed out for DA CFACable
OSS Gateway: Error caught by Fns; Message[0]=Transaction Timed out with DA ADR
OSS Gateway: Error return from gateway 1. NO AVAILABLE NUMBERS SATISFY ALL THE VALID INPUT PARAMETERS DA_TNR_Request Failure 2. User defined exception received (dac / rpc)
OSS Gateway: Error return from gateway 1. User defined exception received (dac / rpc) 2. User defined exception received (dac / rpc) 3. User defined exception received (dac / rpc) 4. Null response: Corrupt response data encountered R
OSS Gateway: Error return from gateway 1. VERIFY TN DA_ADR Validate Address Request Failure 2. User defined exception received (dac / rpc)
OSS Gateway: no matches found
OSS Gateway: Response not valid
OSS Gateway: Timeout
OSS Gateway: Transaction failed (READ)
OSS Gateway: Transaction failed (SERVER)
OSS Gateway: Transaction failed (WRITE)
CATE Lampu System Evrove

SATE Legacy System Errors

This section includes two subsections:

- 2A: includes Qwest legacy system error messages currently passed along to CLECs by SATE for preorder transactions only.
- 2B: Qwest legacy system error messages that will be passed along to CLECs by SATE 9.0 for preorder transactions via a new gateway called SIA (SAAFE Information Access). SIA is the new gateway between legacy systems and SATE that will be implemented with release 9.0. The messages listed in this table are the same error messages currently transmitted by FnS (Fetch N Stuff) and DA (Data Arbiter) to SATE 8.0, but vary slightly in content due to the implementation of SIA.

Table 2A -

The following list includes the SATE Pre-order function/area and the possible legacy system error messages that are currently coded into SATE:



Tank 24 - SETER	e-onter legacy system error messages codet into SATE
PRE-ORDER FUNCTION	SATE ERROR MESSAGE/DESCRIPTION
Additional CSRs	OSS Gateway: Error caught by Fns. Message[0]=Received Error From FnsGateway (6.3.1.3) on message ResDupAccountList: E106 Account not found.
Address Validation	Null response: Corrupt response data encountered Response not returned. No AREA/HOST match found. DA_ADR Validate Address Request Success. Successful Return From Gateway.
Address Validation	VERIFY HOUSE NUMBER OR AHN DA_ADR Validate Address Request Partial Success
Address Validation	CALL OSS/UHD DA_ADR Validate Address Request Failure. User defined exception received (dac / rpc).
Appointment Scheduling	ValidNPA; NoAppointment; NPA= ValidNPA within Qwest Region
Appointment Scheduling	No time available
Appointment Scheduling	NPA/NNX combination not found in appointment sched.
Connecting Facility Assignment	Invalid attribute length (clliCode) expect (8-11) get (9) Required input field has invalid length. This request was not submitted. ResultMessage,Invalid attribute (termA). Required input field is invalid. This request was not submitted. Invalid attribute (termAZ). Required input field is invalid. This request was not submitted. ResultMessage,Invalid request. Request was not submitted){ResultMessage,26603 Fatal:: Gateway Error.
Connecting Facility Assignment	ResultMessage,Screen (RDLOC): Field (location->code->clliCode): LOC504E FIND FAILED LOCATION CODE NOT FOUND The host system has returned an error This DA_EQPF1 request has failed. Null response: Corrupt response data encountered. Response not returned. ResultMessage,Null response: Corrupt response data encountered Response not returned. E/A Service handler failed. Service request not processed. User defined exception received (dac / rpc), 5010 Host.
Connecting Facility Assignment	ResultMessage, Screen (RDLOC): Field (location->code->clliCode): Owner could not be established. The host system has returned an error. This DA_EQPF1 request has failed. Null response: Corrupt response data encountered. Response not returned. Null response: Corrupt response data encountered. Response not returned. E/A Service handler failed. Service request not processed. ResultMessage, User defined exception received (dac / rpc). 5010 Host Error.
CSR Retrieval	Received Error From FnsGateway (6.2.1.11) on message ResDupAccountList: Invalid host info.
CSR Retrieval	OSS Gateway: Error caught by data source. Message[0]=Centrex Account. Not authorized to view entire account data. A Partial CSR may be requested.
Facility Availability (Convert POTS to Unbundled Loop)	ERROR: 0 No AREA/HOST match found for the NpaNxx <telephonenumber> Routing Table Update Required. Call OSS/UHD</telephonenumber>
Facility Availability (Convert POTS to Unbundled Loop)	ERROR: 501 INQ FASG FAILED: L410-293: FORMAT OF CKID <circuitid> IS NOT GOOD. ERROR OCCURRED DURING FASG in LFACS</circuitid>

05/23/02 Page 19 of 113



Table 24 - SATE P	re-order legacy system error messages coded into SATE
PRE-DRDER FUNCTION	SATE ERROR MESSAGE/DESCRIPTION
Facility Availability (Convert POTS to Unbundled Loop)	ERROR:No exact match was found for the address provided.
Facility Availability (Convert POTS to Unbundled Loop)	Result Message, OSS Gateway: Error caught by data source. Message[0]=INPUT ERROR(S):JS_ERR_112v; ZIP CODE entered could not be translated into a SAGA.
Facility Availability (POTS Service Request)	Pots Facility Check (with address validation)INPUT ERROR(S):JS_ERR_112v:ZIPCODE could not be translated into SAGA
Facility Availability (POTS Service Request)	FC error code: 50311 Error in Address Validation Unable to Validate Telephone Number Premis responded with an error code for this telephone number. Please check your input and try again.
Facility Availability (POTS Service Request)	ResultMessage,ERROR: No exact match was found for the address provided.
Facility Availability (POTS Service Request)	ERROR:Address Validation Error:No AREA/HOST match found for the NpaNxx <telephonenumber> Routing Table Update Required. Call OSS/UHD</telephonenumber>
Facility Availability (POTS Service Request)	ERROR No information was found for this address.
Facility Availability (Unbundled ADSL)	ERROR: No information was found for this address.
Facility Availability (Unbundled ADSL)	ERROR No information was found for this address.
Facility Availability (Unbundled ADSL)	ResultMessage, ERROR No information was found for this address.
Facility Availability Query (Design Service)	ERROR: OSS Gateway: Connection failed (CONNECT).
Facility Availability Query (Hicap Loop Qualification)	ERROR: OSS Gateway: Connection failed (CONNECT).
Facility Availability Query (ISDN Loop Qualification)	ERROR: OSS Gateway: Connection failed (CONNECT).
Loop Qualification Query	OSS Gateway: Error caught by data source Message[0] ERROR No information was found for this address.
Loop Qualification Query	OSS Gateway: VERIFY STREET NAME Address is not an exact imatch
Raw Loop Data Query	No error messages.
Service Availability Query Telephone Number Availability Query	Invalid request. No Usoc info for requested NpaNxx TN already selected for this line. DA_TNR_Request Failure.
Telephone Number Availability Query	OSS Gateway: Error caught by data source. Null response: Corrup response data encountered Response not returned. Null response: Corrupt response data encountered. Response not returned. No match found for version.




Table 2B -

The following list includes the legacy system error messages that will be provided in SATE release 9.0 with the implementation of SIA..

Table 2B. SATE Pre-order togacy system error messages via SIA BATE Error Message VIA SIA

The host returned an error. INVALID VALUE preferredWireCenter> FOR NXX SENT

Found multiple hits for routing key.

VERIFY HOUSE NUMBER OR AHN. Verify House # or AHN entry

VERIFY STREET NAME. Verify Street Name entry.

SIA_TNR_Router caught the following exception: \n Error Code 11011:\n SIA_TNR_Router - No hits for search criteria\n.

SIA_ADR_Router caught the following exception: \n Error Code 11900:\n SIA_Router::sqierr - Oracle error\nSIA_ADR_Router::getAreaByNPANXX - Data not found\nORA-01403: no data found

The host returned an error. INVALID VALUE referredWireCenter> FOR NXX SENT

The host returned an error. INVALID VALUE preferredWireCenter> FOR NXX SENT.

System problem encountered. Call UHD/OSS. <nearByNumOfTypeNum> CANNOT BE FOUND IN THE DATABASE.

Wire Center has no Network Elements. THE NEARBY TN IS NOT RELATED TO A NETWORK ELEMENT ASSOCIATED WITH MPWDMNMA.

Good Number Option Justification should be R or L.

Verify input. No available numbers satisfy all the valid input parameters. NO AVAILABLE NUMBERS SATISFY ALL THE VALID INPUT PARAMETERS.

QwestTnRouteInfo SAGA is not valid.



8.0 SATE Vs IMA Production Legacy System Error Variance List

This section includes two subsections:

3A: IMA Production legacy system error messages not found in IMA SATE

3B: IMA Production and SATE legacy system error messages where variances arise due to release timing

Table 3A -

The following list includes pre-order legacy system error messages found in IMA production that are not found in IMA SATE:

* Notes:

- Those items in BOLD are examples of variable data.
- All messages listed have an error code of '999'.

Table 3A - III. Production legacy system error messages not found in IMA SATE

MA ERROR MESSAGE/DESCRIPTION

Database Error - SQL Failed (dbinsertAPPT: ORA-01840: input value not long enough for date format)

Database Error - SQL Failed (dbInsertTNRDetail: ORA-01400: mandatory (NOT NULL) column is missing or NULL during insert)

Database Error - Unspecified Error (dbLSRS_CRM: Error while trying to retrieve text for error ORA-01403)

Database Error - Unspecified Error (dbLSRS_CRM: ORA-01458: invalid length inside variable character string)

Database Error - Unspecified Error (dbLSRS_CRM: ORA-02042: too many distributed transactions ORA-06512: at line 1)

Database Error - Unspecified Error (dbLSRS_CRM: ORA-04052: error occurred when looking up remote object CRM.CRM_SOSI_PACKAGE@IMA_CRM_LINK.WORLD ORA-00604: error occurred at recursive SQL level 1 ORA-02068: following severe error from IMA_CRM_LINK ORA-...

Database Error - Unspecified Error (dbLSRS_CRM: ORA-06550: line 1, column 7: PLS-00201: identifier 'CRM_SOSI_PACKAGE.PROC_SO_GET_COUNT' must be declared ORA-06550: line 1, column 7: PL/SQL: Statement ignored)

java.sql.SQLException: lo exception: Broken pipe Method: validateCoProvider

java.sql.SQLException: lo exception: Broken pipe Method: validateTariffArea

java.sql.SQLException: java.sql.SQLException: ORA-00257; archiver error. Connect internal only, until

Megabit address validation Failed (OSS Gateway: Connection failed (CONNECT))

Megabit address validation Failed (OSS Gateway: Εποτ caught by data source; Message[0]=Call timed out (dac / rpc))

Megabit address validation Failed (OSS Gateway: Error caught by data source; Message[0]=Null response: Corrupt response data encountered; Response not returned; Message[1]=Null response: Corrupt response data encountered; Response not returned; Me...

Megabit address validation Failed (OSS Gateway: Response not valid)

Megabit address validation Failed (OSS Gateway: Timeout)

Megabit address validation Failed (OSS Gateway: Transaction failed (READ))

Megabit address validation Failed (OSS Gateway: Transaction failed (SERVER))

OSS Gateway: CSRM received Error From FnsGateway (Msg ID 73, Type 0, Vers 1): Error return from gateway: Failed to connect to the BMP